

ANALYTICAL REPORT

Job Number: 420-111850-1

SDG Number: Pine Bush CSD - Circleville MS

Job Description: Orange-Ulster BOCES

For:

Orange-Ulster BOCES

53 Gibson Road

Goshen, NY 10924

Attention: Jack DeGraw

Meredith Ruthven

Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

11/14/2016

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

Job Narrative
420-J111850-1

Comments

Results are compared to NYSDOH drinking water standards other federal regulations may apply.

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

Metals

No analytical or quality issues were noted.

METHOD SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-111850-1
SDG Number: Pine Bush CSD - Circleville MS

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-111850-1
SDG Number: Pine Bush CSD - Circleville MS

Method	Analyst	Analyst ID
EPA 200.8 Rev.5.4	Palentino, Gus J	GJP
EPA 200.8 Rev.5.4	Sirico, Derek	DS

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-111850-1
SDG Number: Pine Bush CSD - Circleville MS

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-111850-1	1 Fountain by B 139	Drinking Water	10/06/2016 0437	10/17/2016 1514
420-111850-2	2 B139 Sink 1	Drinking Water	10/06/2016 0438	10/17/2016 1514
420-111850-3	3 B139 Sink 2	Drinking Water	10/06/2016 0438	10/17/2016 1514
420-111850-4	4 B139 Sink 3	Drinking Water	10/06/2016 0438	10/17/2016 1514
420-111850-5	5 Office Sink	Drinking Water	10/06/2016 0442	10/17/2016 1514
420-111850-6	6 B115 Sink	Drinking Water	10/06/2016 0442	10/17/2016 1514
420-111850-7	7 B114 Sink	Drinking Water	10/06/2016 0442	10/17/2016 1514
420-111850-8	8 Nurses Sink	Drinking Water	10/06/2016 0443	10/17/2016 1514
420-111850-9	9 Nurses Bathroom sink	Drinking Water	10/06/2016 0443	10/17/2016 1514
420-111850-10	10 Nurses ice Maker	Drinking Water	10/06/2016 0444	10/17/2016 1514
420-111850-11	11 Fountain by A45	Drinking Water	10/06/2016 0448	10/17/2016 1514
420-111850-12	12 Girls Bathroom Sink by A45	Drinking Water	10/06/2016 0449	10/17/2016 1514
420-111850-13	13 Boys Bathroom Sink by A44	Drinking Water	10/06/2016 0450	10/17/2016 1514
420-111850-14	14 Cafeteria Left Fountain	Drinking Water	10/06/2016 0451	10/17/2016 1514
420-111850-15	15 Cafeteria Left bottle Filler	Drinking Water	10/06/2016 0451	10/17/2016 1514
420-111850-16	16 Kitchen Back Room Hand Washing Sink	Drinking Water	10/06/2016 0454	10/17/2016 1514
420-111850-17	17 Kitchen Sink Next to Sprayer	Drinking Water	10/06/2016 0455	10/17/2016 1514
420-111850-18	18 Kitchen Sprayer	Drinking Water	10/06/2016 0455	10/17/2016 1514
420-111850-19	19 Kitchen Steamer Pot	Drinking Water	10/06/2016 0456	10/17/2016 1514
420-111850-20	20 Kitchen Hand Washing Sink	Drinking Water	10/06/2016 0457	10/17/2016 1514
420-111850-21	21 Kitchen Sink by Refrigerator	Drinking Water	10/06/2016 0457	10/17/2016 1514
420-111850-22	22 Kitchen Sink by Office Window	Drinking Water	10/06/2016 0458	10/17/2016 1514
420-111850-23	23 Kitchen Bathroom sink	Drinking Water	10/06/2016 0459	10/17/2016 1514
420-111850-24	24 A-24 Sink 1	Drinking Water	10/06/2016 0502	10/17/2016 1514
420-111850-25	25 A-24 Sink 2	Drinking Water	10/06/2016 0502	10/17/2016 1514
420-111850-26	26 A-27 Sink 1	Drinking Water	10/06/2016 0503	10/17/2016 1514
420-111850-27	27 A-27 Sink 2	Drinking Water	10/06/2016 0503	10/17/2016 1514
420-111850-28	28 Boys Locker room Fountain	Drinking Water	10/06/2016 0506	10/17/2016 1514
420-111850-29	29 Boys Coaches Bathroom sink	Drinking Water	10/06/2016 0506	10/17/2016 1514
420-111850-30	30 Boys Locker Room Sink	Drinking Water	10/06/2016 0506	10/17/2016 1514
420-111850-31	31 Girls Coaches Bathroom Sink	Drinking Water	10/06/2016 0508	10/17/2016 1514
420-111850-32	32 Girls Locker Room Left Fountain	Drinking Water	10/06/2016 0510	10/17/2016 1514
420-111850-33	33 Girls Locker Room Right Fountain	Drinking Water	10/06/2016 0510	10/17/2016 1514
420-111850-34	34 Girls Locker Room Sink	Drinking Water	10/06/2016 0510	10/17/2016 1514
420-111850-35	35 52A Sink 1	Drinking Water	10/06/2016 0529	10/17/2016 1514
420-111850-36	36 52A Sink 2	Drinking Water	10/06/2016 0529	10/17/2016 1514
420-111850-37	37 52A Sink 3	Drinking Water	10/06/2016 0529	10/17/2016 1514

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-111850-1
SDG Number: Pine Bush CSD - Circleville MS

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-111850-38	38 52A Sink 4	Drinking Water	10/06/2016 0529	10/17/2016 1514
420-111850-39	39 52A Sink 5	Drinking Water	10/06/2016 0529	10/17/2016 1514
420-111850-40	40 52B Sink	Drinking Water	10/06/2016 0533	10/17/2016 1514
420-111850-41	41 A 36 Bathroom Sink	Drinking Water	10/06/2016 0534	10/17/2016 1514
420-111850-42	42 Fountain by A37	Drinking Water	10/06/2016 0539	10/17/2016 1514
420-111850-43	43 A34 Sink	Drinking Water	10/06/2016 0536	10/17/2016 1514
420-111850-44	44 A62 Bathroom sink	Drinking Water	10/06/2016 0543	10/17/2016 1514
420-111850-45	45 Fountain by A62	Drinking Water	10/06/2016 0544	10/17/2016 1514
420-111850-46	46 A61 Bathroom Sink	Drinking Water	10/06/2016 0544	10/17/2016 1514
420-111850-47	47 B131 Faculty Room Sink	Drinking Water	10/06/2016 0546	10/17/2016 1514
420-111850-48	48 Fountain by B144	Drinking Water	10/06/2016 0547	10/17/2016 1514
420-111850-49	49 B144 Sink 1	Drinking Water	10/06/2016 0548	10/17/2016 1514
420-111850-50	50 B144 Sink 2	Drinking Water	10/06/2016 0548	10/17/2016 1514
420-111850-51	51 B144 Sink 3	Drinking Water	10/06/2016 0548	10/17/2016 1514
420-111850-52	52 B132 bathroom sink	Drinking Water	10/06/2016 0550	10/17/2016 1514
420-111850-53	53 B133 Bathroom Sink	Drinking Water	10/06/2016 0550	10/17/2016 1514
420-111850-54	54 Library Office Sink	Drinking Water	10/06/2016 0551	10/17/2016 1514
420-111850-55	55 B138 Sink	Drinking Water	10/06/2016 0553	10/17/2016 1514
420-111850-56	56 Fountain by B205	Drinking Water	10/06/2016 0555	10/17/2016 1514
420-111850-57	57 B206 Sink 1	Drinking Water	10/06/2016 0555	10/17/2016 1514
420-111850-58	58 B206 Sink 2	Drinking Water	10/06/2016 0555	10/17/2016 1514
420-111850-59	59 B206 Sink 3	Drinking Water	10/06/2016 0555	10/17/2016 1514
420-111850-60	60 B221 Sink	Drinking Water	10/06/2016 0600	10/17/2016 1514
420-111850-61	61 Fountain by B219	Drinking Water	10/06/2016 0601	10/17/2016 1514
420-111850-62	62 B219 Sink 1	Drinking Water	10/06/2016 0602	10/17/2016 1514
420-111850-63	63 B219 Sink 2	Drinking Water	10/06/2016 0602	10/17/2016 1514
420-111850-64	64 B219 Sink 3	Drinking Water	10/06/2016 0602	10/17/2016 1514
420-111850-65	65 Custodial Basement Bathroom Sink	Drinking Water	10/06/2016 0608	10/17/2016 1514
420-111850-66	66 Room A-71 Sink 1	Drinking Water	10/06/2016 0514	10/17/2016 1514
420-111850-67	67 Room A-71 Sink 2	Drinking Water	10/06/2016 0514	10/17/2016 1514
420-111850-68	68 Room A-71 Sink 3	Drinking Water	10/06/2016 0514	10/17/2016 1514
420-111850-69	69 Room A-71 Sink 4	Drinking Water	10/06/2016 0514	10/17/2016 1514
420-111850-70	70 Room A 67 Sink 1	Drinking Water	10/06/2016 0517	10/17/2016 1514
420-111850-71	71 Room A 67 Sink 2	Drinking Water	10/06/2016 0517	10/17/2016 1514
420-111850-72	72 Room A 67 Sink 3	Drinking Water	10/06/2016 0517	10/17/2016 1514
420-111850-73	73 Room A 67 Sink 4	Drinking Water	10/06/2016 0517	10/17/2016 1514
420-111850-74	74 Room A 67 Sink 5	Drinking Water	10/06/2016 0517	10/17/2016 1514
420-111850-75	75 Room A64 Sink 2	Drinking Water	10/06/2016 0519	10/17/2016 1514
420-111850-76	76 Room A64 Sink 3	Drinking Water	10/06/2016 0519	10/17/2016 1514
420-111850-77	77 Room A64 Sink 4	Drinking Water	10/06/2016 0519	10/17/2016 1514
420-111850-78	78 Room A64 Back Storage Sink	Drinking Water	10/06/2016 0519	10/17/2016 1514
420-111850-79	79 Room A63 Sink 1	Drinking Water	10/06/2016 0525	10/17/2016 1514
420-111850-80	80 Room A63 Sink 2	Drinking Water	10/06/2016 0525	10/17/2016 1514
420-111850-81	81 Room A63 Sink 3	Drinking Water	10/06/2016 0525	10/17/2016 1514

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-111850-1
SDG Number: Pine Bush CSD - Circleville MS

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-111850-82	82 Room A63 Sink 4	Drinking Water	10/06/2016 0525	10/17/2016 1514
420-111850-83	83 Room A 58 Front Left Sink	Drinking Water	10/06/2016 0539	10/17/2016 1514
420-111850-84	84 Room A 58 Front Center Sink	Drinking Water	10/06/2016 0539	10/17/2016 1514
420-111850-85	85 Room A 58 Front Right Sink	Drinking Water	10/06/2016 0539	10/17/2016 1514
420-111850-86	86 Room A 58 Back Left Sink	Drinking Water	10/06/2016 0539	10/17/2016 1514
420-111850-87	87 Room A 58 Back Center Sink	Drinking Water	10/06/2016 0539	10/17/2016 1514
420-111850-88	88 Room A 58 Back Right Sink	Drinking Water	10/06/2016 0539	10/17/2016 1514

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 1 Fountain by B 139
Lab Sample ID: 420-111850-1

Date Sampled: 10/06/2016 0437
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1201	
Prep Method: 200			Date Prepared:	11/06/2016 1300	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 2 B139 Sink 1
Lab Sample ID: 420-111850-2

Date Sampled: 10/06/2016 0438
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1203	
Prep Method: 200			Date Prepared:	11/06/2016 1300	
Pb	3.20	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 3 B139 Sink 2
Lab Sample ID: 420-111850-3

Date Sampled: 10/06/2016 0438
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1204	
Prep Method: 200			Date Prepared:	11/06/2016 1300	
Pb	1.62	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 4 B139 Sink 3
Lab Sample ID: 420-111850-4

Date Sampled: 10/06/2016 0438
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1206	
Prep Method: 200			Date Prepared:	11/06/2016 1300	
Pb	1.06	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 5 Office Sink
Lab Sample ID: 420-111850-5

Date Sampled: 10/06/2016 0442
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1208	
Prep Method: 200			Date Prepared:	11/06/2016 1300	
Pb	8.65	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 6 B115 Sink
Lab Sample ID: 420-111850-6

Date Sampled: 10/06/2016 0442
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1210	
Prep Method: 200			Date Prepared:	11/06/2016 1300	
Pb	5.55	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 7 B114 Sink
Lab Sample ID: 420-111850-7

Date Sampled: 10/06/2016 0442
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1212	
Prep Method: 200			Date Prepared:	11/06/2016 1300	
Pb	7.70	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 8 Nurses Sink
Lab Sample ID: 420-111850-8

Date Sampled: 10/06/2016 0443
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1218	
Prep Method: 200			Date Prepared:	11/06/2016 1300	
Pb	8.46	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 9 Nurses Bathroom sink
Lab Sample ID: 420-111850-9

Date Sampled: 10/06/2016 0443
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1220	
Prep Method: 200			Date Prepared:	11/06/2016 1300	
Pb	2.95	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 10 Nurses ice Maker
Lab Sample ID: 420-111850-10

Date Sampled: 10/06/2016 0444
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/07/2016 1227		
Prep Method: 200			Date Prepared: 11/06/2016 1300		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 11 Fountain by A45
Lab Sample ID: 420-111850-11

Date Sampled: 10/06/2016 0448
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1506	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 12 Girls Bathroom Sink by A45
Lab Sample ID: 420-111850-12

Date Sampled: 10/06/2016 0449
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1509	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	5.76	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 13 Boys Bathroom Sink by A44
Lab Sample ID: 420-111850-13

Date Sampled: 10/06/2016 0450
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1510	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	4.91	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 14 Cafeteria Left Fountain
Lab Sample ID: 420-111850-14

Date Sampled: 10/06/2016 0451
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1511	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 15 Cafeteria Left bottle Filler
Lab Sample ID: 420-111850-15

Date Sampled: 10/06/2016 0451
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1511	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 16 Kitchen Back Room Hand Washing Sink
Lab Sample ID: 420-111850-16

Date Sampled: 10/06/2016 0454
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1512	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	15.5 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 17 Kitchen Sink Next to Sprayer
Lab Sample ID: 420-111850-17

Date Sampled: 10/06/2016 0455
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1513	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	7.97	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 18 Kitchen Sprayer
Lab Sample ID: 420-111850-18

Date Sampled: 10/06/2016 0455
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1515	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	14.4	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 19 Kitchen Steamer Pot
Lab Sample ID: 420-111850-19

Date Sampled: 10/06/2016 0456
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1516	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	33.3 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 20 Kitchen Hand Washing Sink
Lab Sample ID: 420-111850-20

Date Sampled: 10/06/2016 0457
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1517	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	12.4	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 21 Kitchen Sink by Refrigerator
Lab Sample ID: 420-111850-21

Date Sampled: 10/06/2016 0457
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1518	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	1.55	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 22 Kitchen Sink by Office Window
Lab Sample ID: 420-111850-22

Date Sampled: 10/06/2016 0458
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1518	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	6.39	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 23 Kitchen Bathroom sink
Lab Sample ID: 420-111850-23

Date Sampled: 10/06/2016 0459
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1519	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	5.75	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 24 A-24 Sink 1
Lab Sample ID: 420-111850-24

Date Sampled: 10/06/2016 0502
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1520	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	18.1 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 25 A-24 Sink 2
Lab Sample ID: 420-111850-25

Date Sampled: 10/06/2016 0502
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1521	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	16.8 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 26 A-27 Sink 1
Lab Sample ID: 420-111850-26

Date Sampled: 10/06/2016 0503
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1521	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	7.59	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 27 A-27 Sink 2
Lab Sample ID: 420-111850-27

Date Sampled: 10/06/2016 0503
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1522	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	9.14	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 28 Boys Locker room Fountain
Lab Sample ID: 420-111850-28

Date Sampled: 10/06/2016 0506
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1525	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	18.4 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 29 Boys Coaches Bathroom sink
Lab Sample ID: 420-111850-29

Date Sampled: 10/06/2016 0506
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1525	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	3.53	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 30 Boys Locker Room Sink
Lab Sample ID: 420-111850-30

Date Sampled: 10/06/2016 0506
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1526	
Prep Method: 200			Date Prepared:	11/07/2016 0900	
Pb	3.53	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 31 Girls Coaches Bathroom Sink
Lab Sample ID: 420-111850-31

Date Sampled: 10/06/2016 0508
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1527	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	16.7 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 32 Girls Locker Room Left Fountain
Lab Sample ID: 420-111850-32

Date Sampled: 10/06/2016 0510
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1530	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	5.26	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 33 Girls Locker Room Right Fountain
Lab Sample ID: 420-111850-33

Date Sampled: 10/06/2016 0510
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1531	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	2.79	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 34 Girls Locker Room Sink
Lab Sample ID: 420-111850-34

Date Sampled: 10/06/2016 0510
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1532	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	4.15	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 35 52A Sink 1
Lab Sample ID: 420-111850-35

Date Sampled: 10/06/2016 0529
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1534	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	22.9 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 36 52A Sink 2
Lab Sample ID: 420-111850-36

Date Sampled: 10/06/2016 0529
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1535	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	8.79	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 37 52A Sink 3
Lab Sample ID: 420-111850-37

Date Sampled: 10/06/2016 0529
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1535	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	5.84	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 38 52A Sink 4
Lab Sample ID: 420-111850-38

Date Sampled: 10/06/2016 0529
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1536	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	5.03	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 39 52A Sink 5
Lab Sample ID: 420-111850-39

Date Sampled: 10/06/2016 0529
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1537	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	5.92	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 40 52B Sink
Lab Sample ID: 420-111850-40

Date Sampled: 10/06/2016 0533
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1538	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	13.0	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 41 A 36 Bathroom Sink
Lab Sample ID: 420-111850-41

Date Sampled: 10/06/2016 0534
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1538	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	3.85	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 42 Fountain by A37
Lab Sample ID: 420-111850-42

Date Sampled: 10/06/2016 0539
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1539	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 43 A34 Sink
Lab Sample ID: 420-111850-43

Date Sampled: 10/06/2016 0536
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1540	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	4.31	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 44 A62 Bathroom sink
Lab Sample ID: 420-111850-44

Date Sampled: 10/06/2016 0543
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1541	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	10.1	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 45 Fountain by A62
Lab Sample ID: 420-111850-45

Date Sampled: 10/06/2016 0544
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1543	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 46 A61 Bathroom Sink
Lab Sample ID: 420-111850-46

Date Sampled: 10/06/2016 0544
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1544	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	4.32	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 47 B131 Faculty Room Sink
Lab Sample ID: 420-111850-47

Date Sampled: 10/06/2016 0546
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1545	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	3.03	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 48 Fountain by B144
Lab Sample ID: 420-111850-48

Date Sampled: 10/06/2016 0547
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1545	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 49 B144 Sink 1
Lab Sample ID: 420-111850-49

Date Sampled: 10/06/2016 0548
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1546	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	1.79	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 50 B144 Sink 2
Lab Sample ID: 420-111850-50

Date Sampled: 10/06/2016 0548
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1547	
Prep Method: 200			Date Prepared:	11/07/2016 0930	
Pb	2.27	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 51 B144 Sink 3
Lab Sample ID: 420-111850-51

Date Sampled: 10/06/2016 0548
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1548	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	2.33	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 52 B132 bathroom sink
Lab Sample ID: 420-111850-52

Date Sampled: 10/06/2016 0550
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1552	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	3.25	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 53 B133 Bathroom Sink
Lab Sample ID: 420-111850-53

Date Sampled: 10/06/2016 0550
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1553	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	1.84	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 54 Library Office Sink
Lab Sample ID: 420-111850-54

Date Sampled: 10/06/2016 0551
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1554	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	4.52	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 55 B138 Sink
Lab Sample ID: 420-111850-55

Date Sampled: 10/06/2016 0553
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1555	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	51.6 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 56 Fountain by B205
Lab Sample ID: 420-111850-56

Date Sampled: 10/06/2016 0555
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1555	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	2.28	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 57 B206 Sink 1
Lab Sample ID: 420-111850-57

Date Sampled: 10/06/2016 0555
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1556	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	3.73	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 58 B206 Sink 2
Lab Sample ID: 420-111850-58

Date Sampled: 10/06/2016 0555
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1557	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	1.12	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 59 B206 Sink 3
Lab Sample ID: 420-111850-59

Date Sampled: 10/06/2016 0555
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1558	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 60 B221 Sink
Lab Sample ID: 420-111850-60

Date Sampled: 10/06/2016 0600
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1559	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	3.53	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 61 Fountain by B219
Lab Sample ID: 420-111850-61

Date Sampled: 10/06/2016 0601
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1559	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	4.25	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 62 B219 Sink 1
Lab Sample ID: 420-111850-62

Date Sampled: 10/06/2016 0602
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1602	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	3.18	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 63 B219 Sink 2
Lab Sample ID: 420-111850-63

Date Sampled: 10/06/2016 0602
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1602	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	4.54	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 64 B219 Sink 3
Lab Sample ID: 420-111850-64

Date Sampled: 10/06/2016 0602
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1603	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	3.14	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 65 Custodial Basement Bathroom Sink
Lab Sample ID: 420-111850-65

Date Sampled: 10/06/2016 0608
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1604	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	1.96	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 66 Room A-71 Sink 1
Lab Sample ID: 420-111850-66

Date Sampled: 10/06/2016 0514
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1605	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	13.2	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 67 Room A-71 Sink 2
Lab Sample ID: 420-111850-67

Date Sampled: 10/06/2016 0514
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1606	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	1.19	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 68 Room A-71 Sink 3
Lab Sample ID: 420-111850-68

Date Sampled: 10/06/2016 0514
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1606	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	1.81	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 69 Room A-71 Sink 4
Lab Sample ID: 420-111850-69

Date Sampled: 10/06/2016 0514
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1607	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	2.46	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 70 Room A 67 Sink 1
Lab Sample ID: 420-111850-70

Date Sampled: 10/06/2016 0517
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1608	
Prep Method: 200			Date Prepared:	11/07/2016 1000	
Pb	2.64	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 71 Room A 67 Sink 2
Lab Sample ID: 420-111850-71

Date Sampled: 10/06/2016 0517
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1609	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	1.51	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 72 Room A 67 Sink 3
Lab Sample ID: 420-111850-72

Date Sampled: 10/06/2016 0517
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1613	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	2.90	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 73 Room A 67 Sink 4
Lab Sample ID: 420-111850-73

Date Sampled: 10/06/2016 0517
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1614	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	17.8 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 74 Room A 67 Sink 5
Lab Sample ID: 420-111850-74

Date Sampled: 10/06/2016 0517
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1615	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	2.26	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 75 Room A64 Sink 2
Lab Sample ID: 420-111850-75

Date Sampled: 10/06/2016 0519
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1616	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	64.8 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 76 Room A64 Sink 3
Lab Sample ID: 420-111850-76

Date Sampled: 10/06/2016 0519
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1616	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	2.39	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 77 Room A64 Sink 4
Lab Sample ID: 420-111850-77

Date Sampled: 10/06/2016 0519
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1617	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	1.72	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 78 Room A64 Back Storage Sink
Lab Sample ID: 420-111850-78

Date Sampled: 10/06/2016 0519
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1618	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	9.19	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 79 Room A63 Sink 1
Lab Sample ID: 420-111850-79

Date Sampled: 10/06/2016 0525
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1620	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	2.76	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 80 Room A63 Sink 2
Lab Sample ID: 420-111850-80

Date Sampled: 10/06/2016 0525
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1621	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	2.48	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 81 Room A63 Sink 3
Lab Sample ID: 420-111850-81

Date Sampled: 10/06/2016 0525
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1622	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	2.28	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 82 Room A63 Sink 4
Lab Sample ID: 420-111850-82

Date Sampled: 10/06/2016 0525
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1623	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	8.42	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 83 Room A 58 Front Left Sink
Lab Sample ID: 420-111850-83

Date Sampled: 10/06/2016 0539
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1623	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	79.3 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 84 Room A 58 Front Center Sink
Lab Sample ID: 420-111850-84

Date Sampled: 10/06/2016 0539
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1624	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	3.62	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 85 Room A 58 Front Right Sink
Lab Sample ID: 420-111850-85

Date Sampled: 10/06/2016 0539
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1625	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	22.2 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 86 Room A 58 Back Left Sink
Lab Sample ID: 420-111850-86

Date Sampled: 10/06/2016 0539
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1626	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	11.8	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 87 Room A 58 Back Center Sink
Lab Sample ID: 420-111850-87

Date Sampled: 10/06/2016 0539
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1626	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	1.86	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111850-1
Sdg Number: Pine Bush CSD - Circleville MS

Client Sample ID: 88 Room A 58 Back Right Sink
Lab Sample ID: 420-111850-88

Date Sampled: 10/06/2016 0539
Date Received: 10/17/2016 1514
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/07/2016 1627	
Prep Method: 200			Date Prepared:	11/07/2016 1100	
Pb	7.66	ug/L	1.00	1.00	1.0

DATA REPORTING QUALIFIERS

Client: Orange-Ulster BOCES

Job Number:
Sdg Number: Pine Bush CSD - Circleville MS

Lab Section	Qualifier	Description
Metals		
	g	Result fails applicable NYS drinking water standards
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Certification Information

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Pine Bush CSD - Circleville MS

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Silicon, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Phenolphthalein Alkalinity, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), Total Inorganic Carbon, Volatile Acids as Acetic Acid, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, Iron Bacteria, Salmonella, & Sulfur Reducing Bacteria.

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Cobalt (200.7, 200.8), Tin (200.7), Strontium (200.7), Gold (200.7), Platinum (200.7), Palladium (200.7), Titanium (200.7), Phosphorus (365.3), Nitrate-Nitrite (10-107-4-1C, 353.2), m-Xylene & p-Xylene (502.2, 524), Naphthalene (502.2), o-Xylene (502.2, 524), & Fecal Coliform (9222D).

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), & MCPA (8151A).

Definitions and Glossary

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Pine Bush CSD - Circleville MS

<u>Abbreviation</u>	<u>These commonly used abbreviations may or may not be present in this report.</u>
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.



CHAIN OF CUSTODY

REPORT# (Lab Use Only)

11850

EnviroTest Laboratories, Inc.

Lab Name: EnviroTest Laboratories
Address & Phone: 315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE Pine Bush CSD - Circleville MS	PROJECT NO.	PROJECT LOCATION	MATRIX TYPE	REQUIRED ANALYSES	PAGE 1 of 1
ENVIROTEST PROJECT MANAGER Debra Bayer	P.O. NUMBER	TOWN	OTHER SPECIFY	40ml Vials HCl	TURNAROUND TIME
CLIENT (SITE) PM Jack DeGraw	CLIENT PHONE 845-781-4887	CLIENT FAX	OTHER SPECIFY	Liter Amber HCl	NORMAL
CLIENT NAME Orange-Ulster BOCES	christy.fischer@oubooces.org		OTHER SPECIFY	Liter Plastic	QUICK
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924			OTHER SPECIFY	250ml Plastic Sulfuric Acid	VERBAL
COMPANY CONTRACTING THIS WORK (if applicable)			OTHER SPECIFY	250ml Plastic Nitric Acid	#OF COOLERS

SAMPLE DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	D (Drinking Water) or V (Waste Water) Indicate	SOLID OR SEMISOLID	NUMBER OF CONTAINERS SUBMITTED							REMARKS	
							Total # of Containers	40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic		Terra Core
10/6/2016	4:37	1 Fountain by B 139	G				1	1							Lead (DW 200.8)
10/6/2016	4:38	2 B139 Sink 1	G				1	1							Lead (DW 200.8)
10/6/2016	4:38	3 B139 Sink 2	G				1	1							Lead (DW 200.8)
10/6/2016	4:38	4 B139 Sink 3	G				1	1							Lead (DW 200.8)
10/6/2016	4:42	5 Office Sink	G				1	1							Lead (DW 200.8)
10/6/2016	4:42	6 B115 Sink	G				1	1							Lead (DW 200.8)
10/6/2016	4:42	7 B114 Sink	G				1	1							Lead (DW 200.8)
10/6/2016	4:43	8 Nurses Sink	G				1	1							Lead (DW 200.8)
10/6/2016	4:43	9 - Nurses Bathroom Sink	G				1	1							Lead (DW 200.8)
10/6/2016	4:44	10 Nurses Ice Maker	G				1	1							Lead (DW 200.8)
10/6/2016	4:48	11 Fountain by A45	G				1	1							Lead (DW 200.8)
10/6/2016	4:49	12 Girls Bathroom Sink by A45	G				1	1							Lead (DW 200.8)
10/6/2016	4:50	13 Boys Bathroom Sink by A44	G				1	1							Lead (DW 200.8)

RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	COMP. DATE	TIME
<i>[Signature]</i>	10/6/16	4:37	<i>[Signature]</i>		
RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	COMP. DATE	TIME
<i>[Signature]</i>	10/17/16	13:10	<i>[Signature]</i>		

RECEIVED FOR LABORATORY BY: (SIGNATURE) *[Signature]* ETC

DATE: 10/17/16 13:10

CUSTOMER INTACT: YES

COOLER TEMP(C): 22.5°C

LABORATORY REMARKS: ICE (Y/N) PH CL2

IR #3



CHAIN OF CUSTODY

REPORT# (Lab Use Only)

11850

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE Pine Bush, CSD - Circleville MS		PROJECT NO.	PROJECT LOCATION	MATRIX TYPE	REQUIRED ANALYSES							PAGE 2 of 7
ENVIROTEST PROJECT MANAGER Debra Bayer		P.O. NUMBER	TOWN	D (Drinking Water) or W (Waste Water) Indicate SOLID OR SEMISOLID	40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic	Terra Core	Other	TURNAROUND TIME
CLIENT (SITE) PM Jack DeGraw		CLIENT PHONE 845-781-4887	CLIENT FAX		Other Specify	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic	Other	
CLIENT NAME Orange-Ulster BOCES		christy.fischer.oubooces.org		AQUEOUS (WATER)	NUMBER OF CONTAINERS SUBMITTED							#OF COOLERS
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924		COMPANY CONTRACTING THIS WORK (if applicable)		COMPOSITE (C) OR GRAB (G) INDICATE	REMARKS							
SAMPLE DATE	TIME	SAMPLE IDENTIFICATION										
10/6/2016	4:51	14 Cafeteria Left Fountain		G	1							Lead (DW 200.8)
10/6/2016	4:51	15 Cafeteria Left Bottle Filler		G	1							Lead (DW 200.8)
10/6/2016	4:54	16 Kitchen Back Room Hand Washing Sink		G	1							Lead (DW 200.8)
10/6/2016	4:55	17 Kitchen Sink Next to Sprayer		G	1							Lead (DW 200.8)
10/6/2016	4:55	18 Kitchen Sprayer		G	1							Lead (DW 200.8)
10/6/2016	4:56	19 Kitchen Steamer Pot		G	1							Lead (DW 200.8)
10/6/2016	4:57	20- Kitchen Hand Washing sink		G	1							Lead (DW 200.8)
10/6/2016	4:57	21 Kitchen Sink by Refrigerator		G	1							Lead (DW 200.8)
10/6/2016	4:58	22 Kitchen Sink by Office Window		G	1							Lead (DW 200.8)
10/6/2016	4:59	23 Kitchen Bathroom Sink		G	1							Lead (DW 200.8)
10/6/2016	5:02	24 A-24 Sink 1		G	1							Lead (DW 200.8)
10/6/2016	5:02	25 A-24 Sink 2		G	1							Lead (DW 200.8)
10/6/2016	5:03	26 A-27 Sink 1		G	1							Lead (DW 200.8)
RELINQUISHED BY: (SIGNATURE)				COMPANY	DATE	TIME	RECEIVED BY: (SIGNATURE)					
SAMPLER BY: (SIGNATURE)				COMPANY	DATE	TIME	RECEIVED BY: (SIGNATURE)					
RELINQUISHED BY: (SIGNATURE)				COMPANY	DATE	TIME	RECEIVED BY: (SIGNATURE)					
RECEIVED FOR LABORATORY BY: (SIGNATURE)				DATE	TIME	GLUSTODY INTACT YES NO	LABORATORY REMARKS: ICE (Y_N) pH CL2					
A. Elmendorf ETL				10/17/16	1310	YES	22.5					

TR#3



CHAIN OF CUSTODY

111850

REPORT# (Lab Use Only)

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE US10SD CitiCiville MS		PROJECT NO.	PROJECT LOCATION		MATRIX TYPE		REQUIRED ANALYSES						PAGE 3 of 7				
ENVIROTEST PROJECT MANAGER Debra Bayer		P.O. NUMBER	TOWN	OTHER Specify		SOLID OR SEMISOLID		Total # of Containers						TURNAROUND TIME			
CLIENT (SITE) PM Jack DeGraw		CLIENT PHONE 845-781-4887	CLIENT FAX	AQUEOUS (WATER)		COMPOSITE (C) OR GRAB (G) INDICATE		40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	
CLIENT NAME Orange-Ulster BOCES		christy.fischer.oubooces.org		OTHER (WATER)		OTHER (WATER)		Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	NORMAL	
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924		COMPANY CONTRACTING THIS WORK (if applicable)		DATE		DATE		Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	QUICK	
SAMPLE IDENTIFICATION		DATE		DATE		DATE		Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	VERBAL	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	#OF COOLERS	
10/6/2016	5:03	27 A-27 Sink 2		10/15/16	5:03			Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	Lead (DW 200.8)	
10/6/2016	5:06	28 Boys Locker Room Fountain		10/17/16	13:10			Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	Lead (DW 200.8)	
10/6/2016	5:06	29 Boys Coaches Bathroom Sink						Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	Lead (DW 200.8)	
10/6/2016	5:06	30 Boys Locker Room Sink						Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	Lead (DW 200.8)	
10/6/2016	5:08	31 Girls Coaches Bathroom Sink						Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	Lead (DW 200.8)	
10/6/2016	5:10	32 Girls Locker Room Left Fountain						Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	Lead (DW 200.8)	
10/6/2016	5:10	33 Girls Locker Room Right Fountain						Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	Lead (DW 200.8)	
10/6/2016	5:10	34 Girls Locker Room Sink						Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	Lead (DW 200.8)	
10/6/2016	5:29	35 52A Sink 1						Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	Lead (DW 200.8)	
10/6/2016	5:29	36 52A Sink 2						Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	Lead (DW 200.8)	
10/6/2016	5:29	37 52A Sink 3						Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	Lead (DW 200.8)	
10/6/2016	5:29	38 52A Sink 4						Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	Lead (DW 200.8)	
10/6/2016	5:29	39 52A Sink 5						Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	Terra Core	Other	Other	Lead (DW 200.8)	
RELINQUISHED BY: (SIGNATURE)		COMPANY		DATE		TIME		RECEIVED BY: (SIGNATURE)						COMP/DATE	TIME		
<i>[Signature]</i>		oubooces		10/15/16		5:03		<i>[Signature]</i>						COMP/DATE	TIME		
<i>[Signature]</i>		oubooces		10/17/16		13:10		<i>[Signature]</i>						COMP/DATE	TIME		
RECEIVED FOR LABORATORY BY: (SIGNATURE)		DATE		TIME		CUSTODY INTACT		Cooler Temp(C):		LABORATORY REMARKS:		ICE (Y/N) pH		Cl2		Reviewed by	
<i>[Signature]</i>		10/17/16		1310		YES		22.5		ICE (Y/N) pH		Cl2		Reviewed by		IR#3	

11850

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE Pine Bush CSD - Circleville MS		PROJECT NO.	PROJECT LOCATION	REQUIRED ANALYSES		MATRIX TYPE	MATERIAL ANALYSES		PAGE 4 of 7	
ENVIROTEST PROJECT MANAGER Debra Bayer		P.O. NUMBER	TOWN	40ml Vials HCl	250ml Plastic Nitric Acid	Other	40ml Vials HCl	250ml Plastic Sulfuric Acid	250ml Plastic	Other
CLIENT (SITE) PM Jack DeGraw		CLIENT PHONE 845-781-4887	CLIENT FAX	Liter Plastic	Liter Plastic	Terra Core	Liter Amber HCl	Liter Plastic	250ml Plastic	Other
CLIENT NAME Orange-Ulster BOCES		christy.fischer@oubooces.org		250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Other	Other	Other	Other	Other
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924		COMPANY CONTRACTING THIS WORK (If applicable)		Other	Other	Other	Other	Other	Other	Other
SAMPLE		SAMPLE IDENTIFICATION		NUMBER OF CONTAINERS SUBMITTED		REMARKS		TURNAROUND TIME		
DATE	TIME									
10/6/2016	5:33	40 52B Sink		1		Lead (DW 200.8)				
10/6/2016	5:34	41 A 36 Bathroom Sink		1		Lead (DW 200.8)				
10/6/2016	5:39	42 Fountain by A37		1		Lead (DW 200.8)				
10/6/2016	5:36	43 A34 Sink		1		Lead (DW 200.8)				
10/6/2016	5:43	44 A62 Bathroom Sink		1		Lead (DW 200.8)				
10/6/2016	5:44	45 Fountain by A62		1		Lead (DW 200.8)				
10/6/2016	5:44	46 A61 Bathroom Sink		1		Lead (DW 200.8)				
10/6/2016	5:46	47 B131 Faculty Room Sink		1		Lead (DW 200.8)				
10/6/2016	5:47	48 Fountain by B144		1		Lead (DW 200.8)				
10/6/2016	5:48	49 B144 Sink 1		1		Lead (DW 200.8)				
10/6/2016	5:48	50 B144 Sink 2		1		Lead (DW 200.8)				
10/6/2016	5:48	51 B144 Sink 3		1		Lead (DW 200.8)				
10/6/2016	5:50	52 B132 Bathroom Sink		1		Lead (DW 200.8)				
RELINQUISHED BY: (SIGNATURE)		COMPANY		RECEIVED BY: (SIGNATURE)		COMP. DATE		TIME		
<i>[Signature]</i>		oubooces		<i>[Signature]</i>						
RELINQUISHED BY: (SIGNATURE)		COMPANY		RECEIVED BY: (SIGNATURE)		COMP. DATE		TIME		
<i>[Signature]</i>		oubooces		<i>[Signature]</i>						
RECEIVED FOR LABORATORY BY: (SIGNATURE)		DATE	TIME	CLUSTODY INTACT	COOLER Temp(C):	LABORATORY REMARKS:		ICE (Y/N) PH CL2		Revised by
<i>[Signature]</i>		10/17/16	1310	YES	22.5					

TR#3

11800

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE: Pine Bush CSD - Circleville MS
 ENVIROTEST PROJECT MANAGER: Debra Bayer
 CLIENT (SITE) PM: Jack DeGraw
 CLIENT NAME: Orange-Ulster BOCES
 CLIENT ADDRESS: 53 Gibson Road, Goshen, NY 10924
 COMPANY CONTRACTING THIS WORK (if applicable):

PROJECT NO.:
 P.O. NUMBER:
 CLIENT PHONE: 845-781-4887
 CLIENT FAX:
 PROJECT LOCATION:
 TOWN:
 CLIENT FAX:
 christy.fischer@outbores.org

MATRIX TYPE:
 AQUEOUS (WATER)
 D (Drinking Water) or W (Waste Water) Indicate
 SOLID OR SEMISOLID
 OTHER (Specify)

REQUIRED ANALYSES:
 40ml Vials HCl
 Liter Amber HCl
 250ml Plastic Nitric Acid
 Liter Plastic
 250ml Plastic Sulfuric Acid
 Terra Core
 Other
 Other
 Other

SAMPLE DATE	TIME	SAMPLE IDENTIFICATION	NUMBER OF CONTAINERS SUBMITTED										REMARKS		
			Total # of Containers	40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	Terra Core	Other	Other	Other			
10/6/2016	5:50	53 B133 Bathroom Sink	1	1											Lead (DW 200.8)
10/6/2016	5:51	54 Library Office Sink	1	1											Lead (DW 200.8)
10/6/2016	5:53	55 B138 Sink	1	1											Lead (DW 200.8)
10/6/2016	5:55	56 Fountain by B205	1	1											Lead (DW 200.8)
10/6/2016	5:55	57 B206 Sink 1	1	1											Lead (DW 200.8)
10/6/2016	5:55	58 B206 Sink 2	1	1											Lead (DW 200.8)
10/6/2016	5:55	59 B206 Sink 2	1	1											Lead (DW 200.8)
10/6/2016	6:00	60 B221 Sink	1	1											Lead (DW 200.8)
10/6/2016	6:01	61 Fountain by B219	1	1											Lead (DW 200.8)
10/6/2016	6:02	62 B219 Sink 1	1	1											Lead (DW 200.8)
10/6/2016	6:02	63 B219 Sink 2	1	1											Lead (DW 200.8)
10/6/2016	6:02	64 B219 Sink 3	1	1											Lead (DW 200.8)
10/6/2016	6:08	65 Custodial Basement Bathroom Sink	1	1											Lead (DW 200.8)

RELINQUISHED BY: (SIGNATURE) _____ DATE _____ COMPANY _____
 RECEIVED BY: (SIGNATURE) _____ DATE 10/6/16 TIME 5:50 COMPANY COURTESY
 RECEIVED BY: (SIGNATURE) _____ DATE 10/17/16 TIME 13:10 COMPANY OUTBORES

RECEIVED FOR LABORATORY BY: (SIGNATURE) *P. Elmerdy* DATE 10/17/16 TIME 1310
 COOLER TEMP(C): 22.5
 LABORATORY REMARKS: ICE (Y/N) PH OL2
 Reviewed by: _____

IR#3

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE Pine Bush CSD - Circleville MS		PROJECT NO.	PROJECT LOCATION	MATRIX TYPE	REQUIRED ANALYSES				PAGE 6 of 7	
ENVIROTEST PROJECT MANAGER Debra Bayer		P.O. NUMBER	TOWN	OTHER Specify	40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Other	
CLIENT (SITE) PM Jack DeGraw		CLIENT PHONE 845-781-4887	CLIENT FAX	OTHER Specify	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	Other	TURNAROUND TIME	
CLIENT NAME Orange-Ulster BOCES		christy.fischer@oubooces.org		OTHER Specify	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Other	NORMAL	
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924		COMPANY CONTRACTING THIS WORK (if applicable)		OTHER Specify	40ml Vials HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Other	QUICK	
DATE		TIME	SAMPLE IDENTIFICATION	OTHER Specify	NUMBER OF CONTAINERS SUBMITTED				# OF COOLERS	REMARKS
10/6/2016	5:14		66 Room A-71 Sink 1	OTHER Specify	1	1	1	1	1	Lead (DW 200.8)
10/6/2016	5:14		67 Room A-71 Sink 2	OTHER Specify	1	1	1	1	1	Lead (DW 200.8)
10/6/2016	5:14		68 Room A-71 Sink 3	OTHER Specify	1	1	1	1	1	Lead (DW 200.8)
10/6/2016	5:14		69 Room A-71 Sink 4	OTHER Specify	1	1	1	1	1	Lead (DW 200.8)
10/6/2016	5:17		70 - Room A 67 Sink 1	OTHER Specify	1	1	1	1	1	Lead (DW 200.8)
10/6/2016	5:17		71 - Room A 67 Sink 2	OTHER Specify	1	1	1	1	1	Lead (DW 200.8)
10/6/2016	5:17		72 - Room A 67 Sink 3	OTHER Specify	1	1	1	1	1	Lead (DW 200.8)
10/6/2016	5:17		73 - Room A 67 Sink 4	OTHER Specify	1	1	1	1	1	Lead (DW 200.8)
10/6/2016	5:17		74 - Room A 67 Sink 5	OTHER Specify	1	1	1	1	1	Lead (DW 200.8)
10/6/2016	5:19		75 Room A64 Sink 2	OTHER Specify	1	1	1	1	1	Lead (DW 200.8)
10/6/2016	5:19		76 Room A64 Sink 3	OTHER Specify	1	1	1	1	1	Lead (DW 200.8)
10/6/2016	5:19		77 Room A64 Sink 4	OTHER Specify	1	1	1	1	1	Lead (DW 200.8)
10/6/2016	5:19		78 Room A64 Back Storage Sink	OTHER Specify	1	1	1	1	1	Lead (DW 200.8)
RELINQUISHED BY: (SIGNATURE)		COMPANY	DATE	TIME	RECEIVED BY: (SIGNATURE)				COMP. DATE	TIME
<i>Debra Bayer</i>		oubooces	10/6/16	5:14	<i>Christy Fischer</i>				COMP. DATE	TIME
RELINQUISHED BY: (SIGNATURE)		COMPANY	DATE	TIME	RECEIVED BY: (SIGNATURE)				COMP. DATE	TIME
<i>Jack DeGraw</i>		oubooces	10/17/16	13:10	<i>Christy Fischer</i>				COMP. DATE	TIME

RECEIVED FOR LABORATORY BY: (SIGNATURE)	DATE	TIME	CUSTODY INTACT	COOLER TEMP (C):	LABORATORY REMARKS:
<i>Christy Fischer</i>	10/17/16	1310	YES	22.5	ICE (Y ___ N ___) pH ___ CL2 ___ Revisited by

IR#3

11850

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE Pine Bush CSD - Circleville MS	PROJECT NO.	PROJECT LOCATION	MATRIX TYPE	REQUIRED ANALYSES	PAGE 1 of 1
ENVIROTEST PROJECT MANAGER Debra Bayer	P.O. NUMBER	TOWN	OTHER Specify	Terra Core	TURNAROUND TIME
CLIENT (SITE) PM Jack DeGraw	CLIENT PHONE 845-781-4887	CLIENT FAX	SOLID OR SEMISOLID	250ml Plastic	NORMAL
CLIENT NAME Orange-Ulster BOCES	christy.fischer@oubooces.org		D (Drinking Water) or W (Waste Water) Indicate	Liter Plastic	QUICK
CLIENT ADDRESS 55 Gibson Road, Goshen, NY 10924			AQUEOUS (WATER)	250ml Plastic Sulfuric Acid	VERBAL
COMPANY CONTRACTING THIS WORK (if applicable)			COMPOSITE (C) OR GRAB (G) INDICATE	250ml Plastic Nitric Acid	# OF COOLERS
			OTHER Specify	Liter Amber HCl	
				40ml Vials HCl	
				Total # of Containers	

SAMPLE	DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	OTHER Specify	NUMBER OF CONTAINERS SUBMITTED	REMARKS
	10/6/2016	5:25	79 - Room A63 Sink 1	G		1	Lead (DW 200.8)
	10/6/2016	5:25	80 - Room A63 Sink 2	G		1	Lead (DW 200.8)
	10/6/2016	5:25	81 - Room A63 Sink 3	G		1	Lead (DW 200.8)
	10/6/2016	5:25	82 - Room A63 Sink 4	G		1	Lead (DW 200.8)
	10/6/2016	5:39	83 Room A 58 Front Left Sink	G		1	Lead (DW 200.8)
	10/6/2016	5:39	84 Room A 58 Front Center Sink	G		1	Lead (DW 200.8)
	10/6/2016	5:39	85 Room A 58 Front Right Sink	G		1	Lead (DW 200.8)
	10/6/2016	5:39	86 Room A 58 Back Left Sink	G		1	Lead (DW 200.8)
	10/6/2016	5:39	87 Room A 58 Back Center Sink	G		1	Lead (DW 200.8)
	10/6/2016	5:39	86 Room A 58 Back Right Sink	G		1	Lead (DW 200.8)
	10/6/2016			G		1	Lead (DW 200.8)
	10/6/2016			G		1	Lead (DW 200.8)
	10/6/2016			G		1	Lead (DW 200.8)
	10/6/2016			G		1	Lead (DW 200.8)

RELINQUISHED BY: (SIGNATURE)	DATE	TIME	COMPANY	RECEIVED BY: (SIGNATURE)	DATE	TIME	COMPANY
<i>[Signature]</i>	10/17/16	13:10	oubooces	<i>[Signature]</i>			
RECEIVED FOR LABORATORY BY: (SIGNATURE)	DATE	TIME	CUSTOMER INTACT	COOLER TEMP (C)	ICE (Y/N)	PH	CL2
<i>[Signature]</i>	10/17/16	13:10	NO	22.5			

IR#3

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Orange-Ulster BOCES

Job Number: 420-111850-1
SDG Number: Pine Bush CSD - Circleville MS

Login Number: 111850

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	22.5 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	