315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890


July 2, 2024

Maureen Doherty
NB-Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Project Location: Pine Bush Elementary
Project Number: Pine Bush Elementary
Laboratory Work Order Number: 24F1887

Enclosed are results of analyses for samples received by the laboratory on June 13, 2024. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Project Manager

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

NB-Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924
ATTN: Maureen Doherty

REPORT DATE: 7/2/2024

PURCHASE ORDER NUMBER: A24-00300

PROJECT NUMBER: Pine Bush Elementary

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 24F1887

The results of analyses performed on the following samples submitted to Pace Analytical Services, LLC - Newburgh are found in this report.

PROJECT LOCATION: Pine Bush Elementary

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
104 B	24F1887-01	Drinking Water		EPA 200.8 Rev 5.4	
104 CS	24F1887-02	Drinking Water		EPA 200.8 Rev 5.4	
106 B	24F1887-03	Drinking Water		EPA 200.8 Rev 5.4	
219 B	24F1887-04	Drinking Water		EPA 200.8 Rev 5.4	
226 B	24F1887-05	Drinking Water		EPA 200.8 Rev 5.4	
224 B	24F1887-06	Drinking Water		EPA 200.8 Rev 5.4	
221 B	24F1887-07	Drinking Water		EPA 200.8 Rev 5.4	
106 CS	24F1887-08	Drinking Water		EPA 200.8 Rev 5.4	
217 B	24F1887-09	Drinking Water		EPA 200.8 Rev 5.4	
222 B	24F1887-10	Drinking Water		EPA 200.8 Rev 5.4	
218 B	24F1887-11	Drinking Water		EPA 200.8 Rev 5.4	
215 CS	24F1887-12	Drinking Water		EPA 200.8 Rev 5.4	
203 CS	24F1887-13	Drinking Water		EPA 200.8 Rev 5.4	
214 B	24F1887-14	Drinking Water		EPA 200.8 Rev 5.4	
203 B	24F1887-15	Drinking Water		EPA 200.8 Rev 5.4	
210 B	24F1887-16	Drinking Water		EPA 200.8 Rev 5.4	
216 B	24F1887-17	Drinking Water		EPA 200.8 Rev 5.4	
212 B	24F1887-18	Drinking Water		EPA 200.8 Rev 5.4	
212 CS	24F1887-19	Drinking Water		EPA 200.8 Rev 5.4	
206 B	24F1887-20	Drinking Water		EPA 200.8 Rev 5.4	
202 B	24F1887-21	Drinking Water		EPA 200.8 Rev 5.4	
108 CS	24F1887-22	Drinking Water		EPA 200.8 Rev 5.4	
108 B	24F1887-23	Drinking Water		EPA 200.8 Rev 5.4	
205 B	24F1887-24	Drinking Water		EPA 200.8 Rev 5.4	
220 B	24F1887-25	Drinking Water		EPA 200.8 Rev 5.4	
201 CS	24F1887-26	Drinking Water		EPA 200.8 Rev 5.4	
215 B	24F1887-27	Drinking Water		EPA 200.8 Rev 5.4	
105 B	24F1887-28	Drinking Water		EPA 200.8 Rev 5.4	
015 132 CUDF	24F1887-29	Drinking Water		EPA 200.8 Rev 5.4	
201 B	24F1887-30	Drinking Water		EPA 200.8 Rev 5.4	
202 CS	24F1887-31	Drinking Water		EPA 200.8 Rev 5.4	
112 CS	24F1887-32	Drinking Water		EPA 200.8 Rev 5.4	
102A Nurses Office	24F1887-33	Drinking Water		EPA 200.8 Rev 5.4	
206 CS	24F1887-34	Drinking Water		EPA 200.8 Rev 5.4	
110 CS	24F1887-35	Drinking Water		EPA 200.8 Rev 5.4	
110 B	24F1887-36	Drinking Water		EPA 200.8 Rev 5.4	
208 B	24F1887-37	Drinking Water		EPA 200.8 Rev 5.4	
230 B	24F1887-38	Drinking Water		EPA 200.8 Rev 5.4	
112 B	24F1887-39	Drinking Water		EPA 200.8 Rev 5.4	
105 CS	24F1887-40	Drinking Water		EPA 200.8 Rev 5.4	

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

NB-Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924
ATTN: Maureen Doherty

REPORT DATE: 7/2/2024

PURCHASE ORDER NUMBER: A24-00300

PROJECT NUMBER: Pine Bush Elementary

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 24F1887

The results of analyses performed on the following samples submitted to Pace Analytical Services, LLC - Newburgh are found in this report.

PROJECT LOCATION: Pine Bush Elementary

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
124B	24F1887-41	Drinking Water		EPA 200.8 Rev 5.4	
124 CS	24F1887-42	Drinking Water		EPA 200.8 Rev 5.4	
150 B	24F1887-43	Drinking Water		EPA 200.8 Rev 5.4	
150 CS	24F1887-44	Drinking Water		EPA 200.8 Rev 5.4	
144 B	24F1887-45	Drinking Water		EPA 200.8 Rev 5.4	
015 GYM CU/DF	24F1887-46	Drinking Water		EPA 200.8 Rev 5.4	
015 GYM CU/BF	24F1887-47	Drinking Water		EPA 200.8 Rev 5.4	
140 B	24F1887-48	Drinking Water		EPA 200.8 Rev 5.4	
168 AKS	24F1887-49	Drinking Water		EPA 200.8 Rev 5.4	
117 B	24F1887-50	Drinking Water		EPA 200.8 Rev 5.4	
115 B	24F1887-51	Drinking Water		EPA 200.8 Rev 5.4	
130B	24F1887-52	Drinking Water		EPA 200.8 Rev 5.4	
132 B	24F1887-53	Drinking Water		EPA 200.8 Rev 5.4	
O/S 132 CU/DF	24F1887-54	Drinking Water		EPA 200.8 Rev 5.4	
132 CS	24F1887-55	Drinking Water		EPA 200.8 Rev 5.4	
126 B	24F1887-56	Drinking Water		EPA 200.8 Rev 5.4	
142 B	24F1887-57	Drinking Water		EPA 200.8 Rev 5.4	
117 CS	24F1887-58	Drinking Water		EPA 200.8 Rev 5.4	
CAFE CU/DF	24F1887-59	Drinking Water		EPA 200.8 Rev 5.4	
CAFE CU/BF	24F1887-60	Drinking Water		EPA 200.8 Rev 5.4	
140 CS	24F1887-61	Drinking Water		EPA 200.8 Rev 5.4	
113 B	24F1887-62	Drinking Water		EPA 200.8 Rev 5.4	
136 B	24F1887-63	Drinking Water		EPA 200.8 Rev 5.4	
138 B	24F1887-64	Drinking Water		EPA 200.8 Rev 5.4	
138 CS	24F1887-65	Drinking Water		EPA 200.8 Rev 5.4	
128 B	24F1887-66	Drinking Water		EPA 200.8 Rev 5.4	
130 CS	24F1887-67	Drinking Water		EPA 200.8 Rev 5.4	
126 CS	24F1887-68	Drinking Water		EPA 200.8 Rev 5.4	
128 CS	24F1887-69	Drinking Water		EPA 200.8 Rev 5.4	

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

EPA 200.8 Rev 5.4

Qualifications:

Z-01

#

Analyte & Samples(s) Qualified:

Lead
24F1887-50[117 B]

The results of analyses reported only relate to samples submitted to the Pace Analytical Services, LLC - Newburgh for testing.
I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Felicia Morgan-Nichols
Project Manager

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 104 B | Sampled: 6/12/2024 05:55

Sample ID: 24F1887-01

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 19:44	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 104 CS | Sampled: 6/12/2024 05:55

Sample ID: 24F1887-02

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.1	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 19:53	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 106 B | Sampled: 6/12/2024 05:54

Sample ID: 24F1887-03

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 19:55	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 219 B | Sampled: 6/12/2024 06:01

Sample ID: 24F1887-04

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	2.1	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 19:57	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 226 B | Sampled: 6/12/2024 06:00

Sample ID: 24F1887-05

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.1	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 19:59	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 224 B | Sampled: 6/12/2024 06:00

Sample ID: 24F1887-06

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.4	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:01	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 221 B | Sampled: 6/12/2024 05:59

Sample ID: 24F1887-07

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:08	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 106 CS | Sampled: 6/12/2024 05:54

Sample ID: 24F1887-08

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	3.7	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:10	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 217 B | Sampled: 6/12/2024 06:01

Sample ID: 24F1887-09

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.2	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:12	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 222 B | Sampled: 6/12/2024 06:01

Sample ID: 24F1887-10

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.2	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:14	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 218 B | Sampled: 6/12/2024 06:01

Sample ID: 24F1887-11

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.6	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:17	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 215 CS | Sampled: 6/12/2024 06:02

Sample ID: 24F1887-12

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:21	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 203 CS | Sampled: 6/12/2024 06:07

Sample ID: 24F1887-13

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	3.6	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:23	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 214 B | Sampled: 6/12/2024 06:04

Sample ID: 24F1887-14

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:25	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 203 B | Sampled: 6/12/2024 06:07

Sample ID: 24F1887-15

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:27	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 210 B | Sampled: 6/12/2024 06:05

Sample ID: 24F1887-16

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:34	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 216 B | Sampled: 6/12/2024 06:03

Sample ID: 24F1887-17

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	2.1	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:36	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 212 B | Sampled: 6/12/2024 06:04

Sample ID: 24F1887-18

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:38	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 212 CS | Sampled: 6/12/2024 06:04

Sample ID: 24F1887-19

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:40	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 206 B | Sampled: 6/12/2024 06:07

Sample ID: 24F1887-20

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:42	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 202 B | Sampled: 6/12/2024 06:09

Sample ID: 24F1887-21

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:45	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 108 CS | Sampled: 6/12/2024 05:54

Sample ID: 24F1887-22

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 20:53	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 108 B | Sampled: 6/12/2024 05:54

Sample ID: 24F1887-23

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:00	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 205 B | Sampled: 6/12/2024 06:06

Sample ID: 24F1887-24

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:02	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 220 B | Sampled: 6/12/2024 06:02

Sample ID: 24F1887-25

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:04	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 201 CS | Sampled: 6/12/2024 06:09

Sample ID: 24F1887-26

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:06	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 215 B | Sampled: 6/12/2024 06:02

Sample ID: 24F1887-27

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:08	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 105 B | Sampled: 6/12/2024 05:50

Sample ID: 24F1887-28

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:10	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 015 132 CUDF | Sampled: 6/12/2024 05:51

Sample ID: 24F1887-29

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:13	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 201 B | Sampled: 6/12/2024 06:09

Sample ID: 24F1887-30

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:15	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 202 CS | Sampled: 6/12/2024 06:09

Sample ID: 24F1887-31

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:17	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 112 CS | Sampled: 6/12/2024 05:53

Sample ID: 24F1887-32

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:26	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 102A Nurses Office | Sampled: 6/12/2024 05:52

Sample ID: 24F1887-33

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	2.6	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:28	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 206 CS | Sampled: 6/12/2024 06:07

Sample ID: 24F1887-34

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:30	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 110 CS | Sampled: 6/12/2024 05:53

Sample ID: 24F1887-35

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:32	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 110 B | Sampled: 6/12/2024 05:53

Sample ID: 24F1887-36

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.1	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:34	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 208 B | Sampled: 6/12/2024 06:05

Sample ID: 24F1887-37

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.1	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:36	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 230 B | Sampled: 6/12/2024 05:59

Sample ID: 24F1887-38

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	4.1	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:39	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 112 B | Sampled: 6/12/2024 05:53

Sample ID: 24F1887-39

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:41	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 105 CS | Sampled: 6/12/2024 05:50

Sample ID: 24F1887-40

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:43	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 124B | Sampled: 6/12/2024 05:50

Sample ID: 24F1887-41

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:45	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 124 CS | Sampled: 6/12/2024 05:50

Sample ID: 24F1887-42

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	9.5	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 21:58	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 150 B | Sampled: 6/12/2024 05:42

Sample ID: 24F1887-43

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:00	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 150 CS | Sampled: 6/12/2024 05:42

Sample ID: 24F1887-44

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:02	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 144 B | Sampled: 6/12/2024 05:42

Sample ID: 24F1887-45

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.1	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:04	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 015 GYM CU/DF | Sampled: 6/12/2024 05:40

Sample ID: 24F1887-46

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:07	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 015 GYM CU/BF | Sampled: 6/12/2024 05:40

Sample ID: 24F1887-47

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:09	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 140 B | Sampled: 6/12/2024 05:44

Sample ID: 24F1887-48

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	12	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:11	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 168 AKS | Sampled: 6/12/2024 05:39

Sample ID: 24F1887-49

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	13	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:18	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 117 B | Sampled: 6/12/2024 05:43

Sample ID: 24F1887-50

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	27	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:20	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 115 B | Sampled: 6/12/2024 05:44

Sample ID: 24F1887-51

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:22	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 130B | Sampled: 6/12/2024 05:48

Sample ID: 24F1887-52

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:26	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 132 B | Sampled: 6/12/2024 05:47

Sample ID: 24F1887-53

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:28	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: O/S 132 CU/DF | Sampled: 6/12/2024 05:45

Sample ID: 24F1887-54

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:30	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 132 CS | Sampled: 6/12/2024 05:47

Sample ID: 24F1887-55

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:33	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 126 B | Sampled: 6/12/2024 05:49

Sample ID: 24F1887-56

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	3.2	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:35	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 142 B | Sampled: 6/12/2024 05:43

Sample ID: 24F1887-57

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:37	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 117 CS | Sampled: 6/12/2024 05:43

Sample ID: 24F1887-58

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:43	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: CAFE CU/DF | Sampled: 6/12/2024 05:39

Sample ID: 24F1887-59

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:46	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: CAFE CU/BF | Sampled: 6/12/2024 05:39

Sample ID: 24F1887-60

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:48	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 140 CS | Sampled: 6/12/2024 05:44

Sample ID: 24F1887-61

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:50	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 113 B | Sampled: 6/12/2024 05:44

Sample ID: 24F1887-62

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 22:59	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 136 B | Sampled: 6/12/2024 05:46

Sample ID: 24F1887-63

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 23:01	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 138 B | Sampled: 6/12/2024 05:45

Sample ID: 24F1887-64

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	6.4	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 23:03	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 138 CS | Sampled: 6/12/2024 05:45

Sample ID: 24F1887-65

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 23:09	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 128 B | Sampled: 6/12/2024 05:48

Sample ID: 24F1887-66

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 23:12	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 130 CS | Sampled: 6/12/2024 05:48

Sample ID: 24F1887-67

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 23:14	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 126 CS | Sampled: 6/12/2024 05:49

Sample ID: 24F1887-68

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 23:16	JC

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Pine Bush Elementary | Sample Description: | Work Order: 24F1887

Date Received: 6/13/2024

Field Sample #: 128 CS | Sampled: 6/12/2024 05:48

Sample ID: 24F1887-69

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/25/24	7/1/24 23:18	JC

FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit is at the level of quantitation (LOQ)
DL	Detection Limit is the lower limit of detection determined by the MDL study
MCL	Maximum Contaminant Level

Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.

No results have been blank subtracted unless specified in the case narrative section.

Z-01	#

315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
EPA 200.8 Rev 5.4 in Drinking Water	
Lead	NB-CT,NB-NJ,NB-NY

Pace Analytical Services, LCC operates under the following certifications and accreditations:

Code	Description	Number	Expires
NB-CT	Connecticut Department of Public Health	PH-0823	09/30/2024
NB-NJ	New Jersey DEP	NY015 NELAP	06/30/2024
NB-NY	New York State Department of Health	10142 NELAP	03/31/2025

1 of 7

Pace® Location Requested (City/State): **Newburgh, NY**

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

24F1887-1

Scan QR Code for instructions

Company Name: Orange-Ulster BOCES	Contact/Report To: Maureen Doherty
Street Address: 53 Gibson Road, Goshen, NY 10924	Phone #: 845-781-4887
	E-Mail: Maureen.Doherty@ouboces.org
	Cc E-Mail: Halina.redner@ouboces.org
Customer Project #:	Invoice to: Halina Redner
Project Name: Pine Bush Elementary	Invoice E-mail: halina.redner@ouboces.org
Site Collection Info/Facility ID (as applicable):	Purchase Order # (if applicable): A24-00300
	Quote #:
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET	County / State origin of sample(s): Orange County / New York
Data Deliverables: [ ] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other	Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No
	Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day Other ____ Date Results Requested:
	DW PWSID # or WW Permit # as applicable: Field Filtered (if applicable): [ ] Yes [ ] No Analysis:

Specify Container Size **: 3

Identify Container Preservative Type***: 2

Analysis Requested: Lead

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only: Proj. Mgr: | AcctNum / Client ID: | Table #: | Profile / Template: | Prelog / Bottle Ord. ID:

Sample Comment

Preservation non-conformance identified for sample.

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

	Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Residual Chlorine Result	Residual Chlorine Units
1	104 B	DW	G			6/12/24	5:55	1		
2	104 CS						5:55	1		
3	106 B						5:54	1		
4	219B						6:01	1		
5	226B						6:00	1		
6	224B						6:00	1		
7	221B						5:59	1		
8	102 CS						5:54	1		
9	217B						6:01	1		
10	222B						6:01	1		

24F1887

Additional Instructions from Pace®:

Collected By: Printed Name: Mikayla Higgins Signature: Mikayla Higgins

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C):	Corrected Temp. (°C):	[ ] On Ice
				2.0	NO

Relinquished by/Company: (Signature) Mikayla Higgins	Date/Time: 6/13/24; 12:58	Received by/Company: (Signature)	Date/Time: 6/13/24 1258	Tracking Number:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [ ] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 1 of 7

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State): **Newburgh, NY**

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here: 24F1887-2

Scan QR Code for instructions

Company Name: Orange-Ulster BOCES	Contact/Report To: Maureen Doherty
Street Address: 53 Gibson Road, Goshen, NY 10924	Phone #: 845-781-4887
	E-Mail: Maureen.Doherty@ouboces.org
	Cc E-Mail: Halina.redner@ouboces.org
Customer Project #:	Invoice to: Halina Redner
Project Name: Pine Bush Elementary	Invoice E-mail: halina.redner@ouboces.org
Site Collection Info/Facility ID (as applicable):	Purchase Order # (if applicable): A24-00300
	Quote #:
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET	County / State origin of sample(s): Orange County / New York
Data Deliverables: [ ] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other	Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No
Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day Other	DW PWSID # or WW Permit # as applicable:
Date Results Requested:	Field Filtered (if applicable): [ ] Yes [ ] No
	Analysis: Lead

Specify Container Size **: 3

Identify Container Preservative Type***: 2

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only: Proj. Mgr: / AcctNum / Client ID: / Table #: / Profile / Template: / Prelog / Bottle Ord. ID:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

	Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Residual Chlorine Result	Residual Chlorine Units	Sample Comment	Preservation non-conformance identified for sample.
11	~~202B~~ 218B	DW	G			6/12/24	6:01	1				
12	215 CS						6:02	1				
13	203 CS						6:07	1				
14	214 B						6:04	1				
15	203B						6:07	1				
16	210B						6:05	1				
17	216B						6:03	1				
18	212B						6:04	1				
19	212 CS						6:04	1				
20	206B						6:07	1				

Additional Instructions from Pace®:

Collected By: Printed Name: Mikayla Higgins; Signature: Mikayla Higgins

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C):	Corrected Temp. (°C):	[ ] On Ice
				2.9-0	ICE

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Mikayla Higgins	6/13/24; 12:58		6/13/24 1258
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:

Tracking Number:

Delivered by: [ ] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other

Page: 2 of 7

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State): **Newburgh, NY**

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

24F1887-3

Scan QR Code for instructions

Company Name: Orange-Ulster BOCES	Contact/Report To: Maureen Doherty
Street Address: 53 Gibson Road, Goshen, NY 10924	Phone #: 845-781-4887
	E-Mail: Maureen.Doherty@ouboces.org
	Cc E-Mail: Halina.redner@ouboces.org
Customer Project #:	Invoice to: Halina Redner
Project Name:	Invoice E-mail: halina.redner@ouboces.org
Site Collection Info/Facility ID (as applicable):	Purchase Order # (if applicable): A24-00300
	Quote #:
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET	County / State origin of sample(s): Orange County / New York
Data Deliverables: [ ] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other	Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No
	Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day Other
	Date Results Requested:
	DW PWSID # or WW Permit # as applicable:
	Field Filtered (if applicable): [ ] Yes [ ] No
	Analysis:

Specify Container Size **: 3

Identify Container Preservative Type***: 2

Analysis Requested: Lead

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only: Proj. Mgr: / AcctNum / Client ID: / Table #: / Profile / Template: / Prelog / Bottle Ord. ID:

Preservation non-conformance identified for sample.

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

	Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Residual Chlorine Result	Residual Chlorine Units	Sample Comment
21	202B	DW	G			6/12/24	6:09	1			
22	108CS						5:54	1			
23	108B						5:54	1			
24	205B						6:06	1			
25	220B						6:02	1			
26	201CS						6:09	1			
27	215B						6:02	1			
28	105B						5:50	1			
29	015 132 CUDF						5:51	1			
30	207B						6:09	1			

Additional Instructions from Pace®:

Collected By: Printed Name: MiKayla Higgins

Signature: MiKayla Higgins

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C):	Corrected Temp. (°C):	[ ] On Ice
				2.0	ICE

Relinquished by/Company: (Signature) MiKayla Higgins	Date/Time: 6/13/24; 12:58	Received by/Company: (Signature)	Date/Time: 6/13/24 1258
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:

Tracking Number:

Delivered by: [ ] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other

Page: 3 of 7

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State): **Newburgh, NY**

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here: 24F1887-4

Scan QR Code for instructions

Company Name: Orange-Ulster BOCES	**Contact/Report To:** Maureen Doherty
Street Address: 53 Gibson Road, Goshen, NY 10924	**Phone #:** 845-781-4887
	E-Mail: Maureen.Doherty@ouboces.org
	Cc E-Mail: Halina.redner@ouboces.org
Customer Project #:	**Invoice to:** Halina Redner
Project Name: Pine Bush Elementary	**Invoice E-mail:** halina.redner@ouboces.org
Site Collection Info/Facility ID (as applicable):	**Purchase Order # (if applicable):** A24-00300
	Quote #:
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET	**County / State origin of sample(s):** Orange County / New York
Data Deliverables: [ ] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other	**Regulatory Program (DW, RCRA, etc.) as applicable:** Reportable [ ] Yes [ ] No
	Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day Other ____ **Date Results Requested:**
	DW PWSID # or WW Permit # as applicable: Field Filtered (if applicable): [ ] Yes [ ] No **Analysis:**

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

	Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Residual Chlorine Result	Residual Chlorine Units	Specify Container Size ** 3	Identify Container Preservative Type*** 2	Analysis Requested: Lead
31	202 CS	DW	G			6/12/24	6:09	1					X
32	112 CS						5:53	1					X
33	102A Nurses Office						5:52	1					X
34	206 CS						6:07	1					X
35	110 CS						5:53	1					X
36	110 B						5:53	1					X
37	208 B						6:05	1					X
38	230 B						5:59	1					X
39	112 B						5:53	1					X
40	105 CS						5:50	1					X

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only: Proj. Mgr: ; AcctNum / Client ID: ; Table #: ; Profile / Template: ; Prelog / Bottle Ord. ID:

Preservation non-conformance identified for sample.

Sample Comment

Additional Instructions from Pace®:

Collected By: Printed Name: Mikayla Higgins Signature: Mikayla Higgins

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C):	Corrected Temp. (°C):	[ ] On Ice
				4.0	ice

Relinquished by/Company: (Signature) Mikayla Higgins	Date/Time: 6/13/24 12:58	Received by/Company: (Signature)	Date/Time: 6/13/24 1258
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:

Tracking Number:

Delivered by: [ ] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State): **Newburgh, NY**

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

24F1887-5

Scan QR Code for instructions

Company Name: Orange-Ulster BOCES	Contact/Report To: Maureen Doherty
Street Address: 53 Gibson Road, Goshen, NY 10924	Phone #: 845-781-4887
	E-Mail: Maureen.Doherty@ouboces.org
	Cc E-Mail: Halina.redner@ouboces.org
Customer Project #:	Invoice to: Halina Redner
Project Name: Pine Bush Elementary	Invoice E-mail: halina.redner@ouboces.org
Site Collection Info/Facility ID (as applicable):	Purchase Order # (if applicable): A24-00300
	Quote #:
Time Zone Collected: [ ]AK [ ]PT [ ]MT [ ]CT [X]ET	County / State origin of sample(s): Orange County / New York
Data Deliverables: [ ] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other	Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No
	Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day Other
	Date Results Requested:
	DW PWSID # or WW Permit # as applicable:
	Field Filtered (if applicable): [ ] Yes [ ] No
	Analysis:

Specify Container Size ** : 3

Identify Container Preservative Type*** : 2

Analysis Requested: Lead

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only: Proj. Mgr: / AcctNum / Client ID: / Table #: / Profile / Template: / Prelog / Bottle Ord. ID:

Preservation non-conformance identified for sample.

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

	Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Residual Chlorine Result	Residual Chlorine Units	Sample Comment
41	124B	DW	G			6/12/24	5:50	1			
42	124CS						5:50	1			
43	150B						5:42	1			
44	150CS						5:42	1			
45	144B						5:42	1			
46	015 Gym CUDF						5:40	1			
47	015 Gym CUBF						5:40	1			
48	140B						5:44	1			
49	168 AKS						5:39	1			
~~50~~	~~117B~~						5:43	1			

Additional Instructions from Pace®:

Collected By: Printed Name: Mikayla Higgins

Signature: Mikayla Higgins

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C):	Corrected Temp. (°C):	[ ] On Ice
				21.0	Yes

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Mikayla Higgins	6/13/24; 12:58		
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time: 6/13/24 1258
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:

Tracking Number:

Delivered by: [ ] In-Person [ ] Courier [ ] FedEX [ ] UPS [ ] Other

Page: 5 of 7

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State): **Newburgh, NY**

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

24F1887-6

Scan QR Code for instructions

Company Name: Orange-Ulster BOCES	Contact/Report To: Maureen Doherty
Street Address: 53 Gibson Road, Goshen, NY 10924	Phone #: 845-781-4887
	E-Mail: Maureen.Doherty@ouboces.org
	Cc E-Mail: Halina.redner@ouboces.org
Customer Project #:	Invoice to: Halina Redner
Project Name: Pine Bush Elementary	Invoice E-mail: halina.redner@ouboces.org
Site Collection Info/Facility ID (as applicable):	Purchase Order # (if applicable): A24-00300
	Quote #:
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET	County / State origin of sample(s): Orange County / New York
Data Deliverables: [ ] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other	Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No
	Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day Other
	Date Results Requested:
	DW PWSID # or WW Permit # as applicable:
	Field Filtered (if applicable): [ ] Yes [ ] No
	Analysis:

Specify Container Size**: 3

Identify Container Preservative Type***: 2

Analysis Requested: Legacy

**Containter Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only: Proj. Mgr: / AcctNum / Client ID: / Table #: / Profile / Template: / Prelog / Bottle Ord. ID:

Preservation non-conformance identified for sample.

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

	Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Residual Chlorine Result	Residual Chlorine Units	Sample Comment
51	117B	DW	G			6/12/24	5:43	1			
52	115B						5:44	1			
53	130B						5:48	1			
54	132B						5:47	1			
55	OLS132 CU/DF						5:45	1			
56	132CS						5:47	1			
57	126B						5:49	1			
58	142B						5:43	1			
59	117CS						5:43	1			
60	Cafe CU/PF						5:39	1			

Additional Instructions from Pace®:

Collected By: Printed Name: Mikayla Higgins Signature: Mikayla Higgins

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C):	Corrected Temp. (°C):	On Ice
				2.0	Yes

Relinquished by/Company: (Signature) Mikayla Higgins	Date/Time: 6/13/24 12:58	Received by/Company: (Signature)	Date/Time: 6/13/24 12:58
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:

Tracking Number:

Delivered by: [ ] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other

Page: 6 of 7

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State): **Newburgh, NY**

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

24F1887-7

Scan QR Code for instructions

Company Name: Orange-Ulster BOCES	Contact/Report To: Maureen Doherty
Street Address: 53 Gibson Road, Goshen, NY 10924	Phone #: 845-781-4887
	E-Mail: Maureen.Doherty@ouboces.org
	Cc E-Mail: Halina.redner@ouboces.org
Customer Project #:	Invoice to: Halina Redner
Project Name: Pine Bush Elementary	Invoice E-mail: halina.redner@ouboces.org
Site Collection Info/Facility ID (as applicable):	Purchase Order # (if applicable): A24-00300
	Quote #:
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET	County / State origin of sample(s): Orange County / New York
Data Deliverables: [ ] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other	Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No
	Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day Other ____ Date Results Requested:
	DW PWSID # or WW Permit # as applicable: Field Filtered (if applicable): [ ] Yes [ ] No Analysis:

Specify Container Size **: 3

Identify Container Preservative Type***: 2

Analysis Requested: Legal

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only: Proj. Mgr: / AcctNum / Client ID: / Table #: / Profile / Template: / Prelog / Bottle Ord. ID:

Preservation non-conformance identified for sample.

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

	Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Residual Chlorine Result	Residual Chlorine Units	Sample Comment
1	Cafe CU/BF	DW	G			6/12/24	5:39	1			X
2	140 CS						5:44	1			X
3	113 B						5:44	1			X
4	136 B						5:46	1			X
5	138 B						5:45	1			X
6	138 CS						5:45	1			X
7	128 B						5:48	1			X
8	130 CS						5:48	1			X
9	126 CS						5:49	1			X
10	128 CS						5:48	1			X

Additional Instructions from Pace®:

Collected By: Printed Name: MiKayla Higgins Signature: Mikayla Higgins

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C):	Corrected Temp. (°C):	Ice
				2.0	Y

	Date/Time:	Received by/Company: (Signature)	Date/Time:
Relinquished by/Company: (Signature) Mikayla Higgins	6/13/24, 12:58	Received by/Company: (Signature)	6/13/24 1250
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:

Tracking Number:

Delivered by: [ ] In-Person [ ] Courier [ ] FedEX [ ] UPS [ ] Other

Page: 7 of 7

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Sample Condition Upon Receipt Form (SCUR)

Project # 24F1887
Client: OU BOCES

Date and Initials of person:
Examining contents:_____
Label:_____
Deliver to location:_____
pH:_____

Thermometer Used: IRG4 Date: 6/13 Time: 1258 Initials: _____

State of Origin: NY

Cooler #1 Temp.°C 24.0 **(Visual)** 0.2 @ 0.0°C, -0.5 @20.0°C **(Correction Factor)** _____ **(Actual)** ☒ ~~Samples on ice, cooling process has begun~~

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other_____

Shipping Method: ☐ First Overnight ☐ Priority Overnight ☐ Standard Overnight ☐ Ground
☐ Other_____

Tracking # _____

Custody Seal on Cooler/Box Present: ☐ Yes ☐ No **Seals intact:** ☐ Yes ☐ No **Ice:** ~~Wet~~ Blue Melted ~~None~~

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☐ Other_____

Samples were collected by Pace employee ☐ Yes ☐ No ☐ N/A

		Comments:
Chain of Custody Present	☒ Yes ☐ No ☐ N/A	
Chain of Custody Filled Out	☒ Yes ☐ No ☐ N/A	
Relinquished Signature on COC	☒ Yes ☐ No ☐ N/A	
Sampler Name and Signature on COC	☒ Yes ☐ No ☐ N/A	
Samples Arrived within Hold Time	☒ Yes ☐ No ☐ N/A	
Rush TAT requested on COC	☐ Yes ☐ No ☐ N/A	
Sufficient Volume	☒ Yes ☐ No ☐ N/A	
Correct Containers Used	☒ Yes ☐ No ☐ N/A	
Containers Intact	☒ Yes ☐ No ☐ N/A	
Sample Labels match COC (sample IDs & date/time of collection)	☒ Yes ☐ No ☐ N/A	
All containers needing acid/base preservation have been checked.	☐ Yes ☐ No ☐ N/A	Preservative:_____
All Containers needing preservation are found to be in compliance with EPA recommendation: Exceptions: Vials, Microbiology, O&G, Metals	☐ Yes ☐ No ☐ N/A	Lot #/Trace #:_____ Date:_____ Time:_____ Initials:_____
Headspace in VOA Vials? (>6mm):	☐ Yes ☐ No ☐ N/A	
Trip Blank Present:	☐ Yes ☐ No ☐ N/A	

Additional Login Comments:

Client notification/ Resolution
Person Contacted: _____ Date/Time: _____
Comments/Resolution: _____